DRAFT 07-08-04

ORDINANCE NO.	
---------------	--

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF SUNNYVALE AMENDING PORTIONS OF TITLE 19 OF THE SUNNYVALE MUNICIPAL CODE PERTAINING TO DEVELOPMENT INTENSITIES IN THE DOWNTOWN SPECIFIC PLAN AREA

THE CITY COUNCIL OF THE CITY OF SUNNYVALE DOES ORDAIN AS FOLLOWS:

<u>SECTION 1</u>. SECTION 19.28.050 AMENDED. Section 19.28.050 of the Sunnyvale Municipal Code is hereby amended to read as follows:

19.28.050 Downtown specific plan blocks; primary uses and densities.

The downtown specific plan district is divided into subdistricts, referred to as "blocks." The primary uses and densities for each block are listed in Table 19.28.050. (Ord. 2735-03 § 4 (part)).

Table 19.28.050
Primary Uses and Densities in DSP Blocks

District	Block	Primary Uses	Approx. Density	Res. Units	Office (total square footage)	Retail/ Restaurant/ Entertainment (total square footage)
Commercial Core	1	Office	N/A		450,000	10,000
Commercial Core	la	Very High Density Residential	78 du/ac	450		52,500
Commercial Core	2	Retail	N/A		80,000	170,891
Sunnyvale/Carroll	3	Retail Specialty Grocery	N/A			62,000
Sunnyvale/Carroll	4	Very High/Medium Density Residential	48 du/ac 24 du/ac	173		
Sunnyvale/Carroll	5	Very High Density Residential	40 du/ac	46		
Sunnyvale/Carroll	6	High/Medium Density Residential	36 du/ac 24 du/ac	112		
Sunnyvale/Carroll	7	High Density Residential Retail	N/A	100	36,000	14,000

District	Block	Primary Uses	Approx. Density	Res. Units	Office (total square footage)	Retail/ Restaurant/ Entertainment (total square footage)
South of Iowa	8	Low Medium Density Residential	12 du/ac	15	Tootage)	Toolage
South of Iowa	8a	Medium Density Residential	24 du/ac	12		
South of Iowa	8b	Low Density Residential	7 du/ac	12		
South of Iowa	9	Low Medium Density Residential	12 du/ac	20		
South of Iowa	9a	Low Density Residential	7 du/ac	8		
South of Iowa	10	Low Medium Density Residential	12 du/ac	47		
South of Iowa	11	Low Medium Density Residential	12 du/ac	49	**	
South of Iowa	12	Low Medium Density Residential	12 du/ac	51		
Commercial Core	13	Retail and Low Medium Density Residential	12 du/ac	25	176,021	20,120
West of Mathilda	14	Very High Density Residential	51 du/ac	173		10,000
West of Mathilda	15	Very High Density Residential	54 du/ac	152		10,000
West of Mathilda	16	Very High Density Residential	58 du/acre	173		10,000
West of Mathilda	17	Low Medium Density Residential	12 du/acre	48		
Commercial Core	18	Mixed Use	N/A	300	300,000	1,007,876
Commercial Core	20	High Density Residential Office	N/A	51	16,400	
TOTAL				2017	1053,421	1,367,387

2

<u>SECTION 2</u>. SECTION 19.28.100 AMENDED. Section 19.28.100 of the Sunnyvale Municipal Code is hereby amended to read as follows:

19.28.100 Block summaries and building setbacks.

Each lot in each block shall conform to applicable provisions for frontage, interior side and rear setbacks, as set forth in Tables 19.28.100(a) through (e). Covered porches, stoops, and stairways may extend up to six feet into any required front yard. (Ord. 2735-03 § 4 (part)).

Table 19.28.100(a)
Development Standards for Commercial
Core District Blocks 1, 1a, 2 and 3

Albino Villa

	Block 1	Block 1a	Block 2	Block 3
Primary Uses	Office	High Density	Restaurant,	Service retail
Allowed	Retail	Residential	Entertainment	Grocery
		Retail	and Retail Office	District Parking
			on 2nd floor only	
Min.	0.60 ac.	0.30 ac.	No min.	No min.
Development				
Size				
Max. Amount	10,000 sq. ft.	52,500 sq. ft.	170,891 sq. ft. of	27,000 sq. ft.
Retail			retail/restaurant/	retail
			entertainment	35,000 sq. ft.
		\\\-\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		grocery
Max. Amount of	450,000 sq. ft.	0	80,000 sq. ft. of	0
Office			office	
Max. Number of	0	450	0	0
Units				
Maximum	N/A	78 du/acre	N/A	N/A
Residential				
Density		7		
Max. Lot	100%	100%	100%	100%
Coverage				
Max. Height	100 ft. (6 stories)	85 ft. (6 Stories)	36 ft. (2 stories)	50 ft. (4 stories)
	4.7	including rooftop		
		mechanical		
Required Right-	None	10 ft. along east	5 ft. along Evelyn	5 ft. along Evelyn
of-Way		side of Aries	Avenue	Avenue
Dedication		6 ft. along west	3 ft. along	3 ft. along
		side of Frances	Sunnyvale	Sunnyvale
		St. south of	Avenue	Avenue
		Capella		
Min. Front				
Setback/Build-to				
Requirement				
(see diagram)				
Washington	0 ft.	0 ft.	0 ft.	0 ft.
Ave.				

	Block 1	Block 1a	Block 2	Block 3
Capella Way	N/A	0 ft.	N/A	N/A
Taafe Way	N/A	0 ft.	N/A	N/A
Evelyn Ave.	0 ft.	0 ft.	0 ft.	0 ft.
Aries Way	0 ft.	0 ft.	N/A	N/A
Sunnyvale Ave.	N/A	N/A	0 ft.	0 ft.
Altair Way	0 ft.	0 ft.	N/A	N/A
Carroll St.	N/A	N/A	N/A	0 ft.
Frances St.	0 ft.	0 ft.	0 ft.	N/A
Min. Interior Setbacks				
Side Setback	0 ft.	0 ft.	0 ft.	0 ft.
Rear Setback	0 ft.	0 ft.	0 ft.	0 ft.
Min.	All areas not	All areas not	None	All areas not
Landscaped	devoted to	devoted to	Tione	devoted to
Area	driveways and	driveways and		driveways and
	surface access	surface access	4	surface access
	zones	zones		zones
Min. Useable	N/A	50 sq. ft./unit	N/A	N/A
Open Space		,		
Type of Parking	Underground	Underground		Structured and
	structures	structures		surface parking
Special Design	None	None	Comply with	None
Features			Murphy Avenue	
			Design	
			Guidelines	

Table 19.28.100(b) Development Standards for Commercial Core District Blocks 13, 18 and 20

	Block 13	Block 18	Block 20
Primary Uses	Office and Service	Retail, Entertainment,	Office
Allowed	retail and Low-	Office and High-	High Density
	Medium Density	Density Residential	Residential
	Residential		
Min. Lot Size	0.4 ac.		No min.
Max. Office/Retail	170,891 sq. ft. office	1,007,897 sq. ft.	16,400 sq. ft. office
Sq. Ft.	20,120 sq. ft.	retail/restaurant/	
	retail/restaurant	entertainment	
		300,000 office	
Max. Residential			51 units
Units	25	300 units	
	12 du/acre for	N/A	36 du/acre for northern
Approximate Density	townhouses along		half of the block
	Taafe Street		
Max. Lot Coverage	Per SDP	Per SDP	60% max

	Block 13	Block 18	Block 20
Max. Height	Office uses - 50 ft. (3 stories) Residential - 30 ft. (2 stories)	75 ft. (5 stories) Up to 80 ft. for movie theaters at the interior of the block	40 ft. (3 stories) for high-density residential on the north half of the block 30 ft. for office uses on the south half of the block
Required Right-of- Way Dedications	10 ft. along Mathilda Avenue	5 ft. along Mathilda Avenue north of Booker 10 ft. along Mathilda south of Booker 5 ft. along Iowa between Mathilda and Parking Garage B	10 ft. along Mathilda Avenue
Min. Setbacks/Build- to Requirements (see diagram) 0 ft.			
Mathilda Ave.	0 ft.	0 ft.	0 ft.
McKinley Ave.	0 ft.	0 ft.	N/A
Taaffe St.	10 ft.	0 ft.	N/A
El Camino Real	N/A	N/A	30 ft.
Sunnyvale Ave.	N/A	0 ft.	N/A
Olive Ave.	10 ft.	N/A	10 ft.
Min. Interior Setbacks			
Side	0 ft.	0 ft.	6 ft.
Rear	0 ft.	0 ft,	20 ft.
Min. Landscaped Area	All areas not devoted to driveways and surface access zones	All areas not devoted to driveways and surface access zones	All areas not devoted to driveways and surface access zones
Min. Useable Open Space	500 sq. ft./unit	50 sq. ft./unit	380 sq. ft./unit
Type of Parking	Surface Parking or Above-Ground Structures	Above grade structures and surface parking	Structured and surface (underground is encouraged)
Special Design Features	None	Downtown GAteway at Mathilda / Washington	None

Ordinances\2004\DSP Revisions 5

Table 19.28.100(c) Development Standards for Sunnyvale/Carroll District Blocks 4, 5, 6 and 7

	Block 4	Block 5	Block 6	Block 7
Primary Uses	High Density and	High Density	High Density and	High Density
Allowed	Medium Density	Residential	Medium Density	Residential and
	Residential		Residential	Retail
Min.	0.5 acres	0.25 acres	0.25 acres	No min.
Development			suggested	
Size				
Max. Retail /	None	None	None	36,000 sq. ft.
Office				office
				14,000 sq. ft.
				retail
Max.		46		100
Residential	173		112	
Units				
Approximate	48 du/acre	40 du/acre	48 du/acre	28 du/acre
Residential	generally with	,	generally with	
Density	max 24 du/acre		Townhouse	
	on Washington		Density of up to	
			24 du/acre on	
			Washington and	
			McKinley	
) / T	450/	450/	frontages	600/
Max. Lot	45%	45%	60%	60%
Coverage May Height	40 ft. (3 stories)	40 ft. (3 stories)	40 ft. (3 stories)	50 ft. (4 stories)
Max. Height	and 30 ft. (2	40 It. (3 stories)	and 30 ft. (2	30 It. (4 stories)
	stories) on		stories) on	
	Washington		Washington and	
4.60	washington		McKinley	
Required Right-	None	None	None	3 ft. on east side
of-Way		y .		from Iowa to
Dedications				Washington
Min. Front				
Setback/Build-to	/ /			
Requirement				
Washington	12 ft.	N/A	12 ft.	12 ft.
Ave.				
Sunnyvale Ave.	N/A	N/A		N/A
Evelyn Ave.	18 ft.	18 ft.		12 ft.
Bayview Ave.	N/A	12 ft.		18 ft.
Carroll Ave.	12 ft.	N/A		Min. Interior
				Setbacks
Min. Interior				
Setbacks				
Side	6 ft.	6 ft.	6 ft.	6 ft.
Rear	20 ft.	20 ft.	20 ft.	20 ft.

	Block 4	Block 5	Block 6	Block 7
Min.	Min. 20% of lot	Min. 20% of lot	Min. 20% of lot	Commercial uses:
Landscaped	area	area	area	All areas not
Area				devoted to
				driveways and
				surface access
				zones. Residential
				uses: 20% of the
			434	lot area
Min. Useable	50 sq. ft./unit	50 sq. ft./unit	50 sq. ft./unit	50 sq. ft./unit for
Open Space			<u> </u>	residential uses
Type of Parking	Below-grade, or	Below-grade, or	Below-grade, or	Below-grade,
	surface (above	surface (above	surface (above	above-grade or
	ground allowed	ground allowed	ground allowed	podium
	only if	only if	only if	
	completely	completely	completely	
	hidden from	hidden from	hidden from	
	view)	view)	view)	7
Special Design	Residential	None	None	Res. Gateway
Features	Gateways at	**		elements at
	Carroll and			intersection of
	Washington			Sunnyvale and
				McKinley

Table 19.28.100(d) Development Standards for South of Iowa District Blocks 8, 8a, 8b, 9, 9a, 10, 11 and 12

Blocks 8, 8a, 8b, 9, 9a, 10, 11 and				
12				
Primary Uses Allowed	Blocks 8 and 9Low Density Residential			
	Blocks 8a, 9a, 10, 11 and 12Low-Medium Density			
	Residential			
	Block 8bMedium Density Residential			
	Block 9Low Density Residential			
Min Development Size	Blocks 8 and 9 - 0.14 ac.			
	Blocks 8b, 9a, 10, 11 and 12 - 0.25 ac.			
Approximate Maximum Density	Blocks 8 and 9 - 7 du/acre			
	Blocks 8a, 9a, 10, 11 and 12 - 14 du/acre			
	Block 8b - 24 du/acre			
Max. Lot Coverage	Blocks 8a, 8b, 9a, 10, 11 and 12 - 60%			
	Blocks 8 and 9 - 40%			
Max. Height	30 ft. (2 stories)			
Required Right-of-Way Dedications	None			
Min. Setbacks/Build-to				
Requirements				
(see diagram)				
McKinley Ave.	13 ft.			
Carroll Ave.	20 ft.			
Iowa Ave.	13 ft.			

Blocks 8, 8a, 8b, 9, 9a, 10, 11 and	
12	
Sunnyvale Ave.	18 ft.
Taaffe Street	18 ft.
Frances Street	18 ft.
Murphy Avenue	18 ft.
Olive Ave.	13 ft.
Min. Interior Setbacks	
Side	4 ft.
Rear	20 ft.
Min. Landscaped Area	20% of lot area
Min. Useable Open Space	500 sq. ft./unit
	2/2-bdrm units and above
	1.75/1-bdrm and studio
	4/single-family home (2 covered and 2 uncovered)
Type of Parking	Surface
Special Design Features	Res. Gateway elements at intersection of Sunnyvale /
	Iowa, Murphy / Iowa, Frances / Iowa and Taaffe / Iowa

Table 19.28.100(e) Development Standards for West of Mathilda District Blocks 14, 15, 16, and 17

	Blocks 14, 15 and 16	Block 17
Primary Uses Allowed	High Density Residential	Low-Medium Density
Timary Oses Timowed	Retail	Residential Bensity
Min. Development Area	0.75 acre	8,000 sq. ft.
Max. Residential Units	Block 14 - 173 units	48 units
Wita. Residential Cilits	Block 15 - 152 units	TO diffes
	Block 16 - 173 units	
Approximate Maximum		12 du/acre
Density	51,54,58 du/acre	
Max. Lot Coverage	100%	40%
Max. Height	50 ft. (4 stories) on Mathilda	30 ft. (2 stories)
	and 30 ft. (3 stories) along	
	Charles	
Required Right-of-Way	33 ft. along Mathilda Avenue	None
Dedications		
Min. Setbacks/Build-to		
Requirements (see diagram)		
Mathilda	0 ft. (after 33 ft. dedication)	12 ft.
McKinley Ave.	10 ft.	N/A
Iowa Ave.	10 ft.	10 ft.
Charles Ave.	10 ft.	10 ft.
Washington Ave.	10 ft.	10 ft.
Evelyn Ave.	N/A	18 ft.
Olive Ave.	10 ft.	N/A
Min. Interior Setbacks		
Side	6 ft.	4ft.

8

Ordinances\2004\DSP Revisions

	Blocks 14, 15 and 16	Block 17
Rear	10 ft.	20 ft.
Min. Landscaped Area	Min 20% of lot area	Min 20% of lot area
Min. Useable Open Space	50 sq. ft./unit	500 sq. ft./unit
Type of Parking	Below grade structures or podium parking if structure is completely hidden from public view	Surface Parking
Special Design Features	Neighborhood Gateway at Iowa/Mathilda, McKinley/Mathilda and Washington/Mathilda	None

SECTION 3. CEQA COMPLIANCE. As part of the process of updating the Downtown Improvement Program, the City has analyzed the environmental effects of this ordinance, certified a Program Environmental Impact Report and a Mitigation Monitoring and Reporting Program on June 17, 2003, prepared an addendum to the EIR pursuant to guideline section 15164, and made necessary findings required by the California Environmental Quality Act. The City Council finds that adoption of this ordinance is within the scope of these documents and no further environmental documentation is required.

<u>SECTION 4</u>. EFFECTIVE DATE. This ordinance shall be in full force and effect thirty (30) days from and after the date of its adoption.

SECTION 5. POSTING AND PUBLICATION. The City Clerk is directed to cause copies of this ordinance to be posted in three (3) prominent places in the City of Sunnyvale and to cause publication once in <u>The Sun</u>, the official newspaper of the City of Sunnyvale, of a notice setting forth the date of adoption, the title of this ordinance, and a list of places where copies of this ordinance are posted, within fifteen (15) days after adoption of this ordinance.

Introduced at a regular n	neeting of the City Council held July 13, 2004, and	d
adopted as an ordinance of the	City of Sunnyvale at a regular meeting of the Cit	y
Council held on,	by the following vote:	
AYES: NOES: ABSENT:		
ATTEST:	APPROVED:	
City Clerk	Mayor	
(SEAL)	•	